

Exercise and intra-abdominal fat

- Kuk JL, Katzmarzyk PT, Nichaman MZ, Church TS, Blair SN, Ross R. *Visceral fat is an independent predictor of all-cause mortality in men*. Obesity (Silver Spring). 2006 Feb;14(2):336-41.
- Yusuf S, Hawken S, Ounpuu S, Bautista L, Franzosi MG, Commerford P, Lang CC, Rumboldt Z, Onen CL, Lisheng L, Tanomsup S, Wangai P Jr, Razak F, Sharma AM, Anand SS; INTERHEART Study Investigators. *Obesity and the risk of myocardial infarction in 27,000 participants from 52 countries: a case-control study*. Lancet. 2005 Nov 5;366(9497):1640-9.
- Mori Y, Murakawa Y, Okada K, Horikoshi H, Yokoyama J, Tajima N, Ikeda Y. *Effect of troglitazone on body fat distribution in type 2 diabetic patients*. Diabetes Care. 1999 Jun;22(6):908-12.
- Johannsson G, Mårin P, Lönn L, Ottosson M, Stenlöf K, Björntorp P, Sjöström L, Bengtsson BA. *Growth hormone treatment of abdominally obese men reduces abdominal fat mass, improves glucose and lipoprotein metabolism, and reduces diastolic blood pressure*. J Clin Endocrinol Metab. 1997 Mar;82(3):727-34.
- Thomas EL, Brynes AE, McCarthy J, Goldstone AP, Hajnal JV, Saeed N, Frost G, Bell JD. *Preferential loss of visceral fat following aerobic exercise, measured by magnetic resonance imaging*. Lipids. 2000 Jul;35(7):769-76.
- Giannopoulou I, Ploutz-Snyder LL, Carhart R, Weinstock RS, Fernhall B, Goulopoulou S, Kanaley JA. *Exercise is required for visceral fat loss in postmenopausal women with type 2 diabetes*. J Clin Endocrinol Metab. 2005 Mar;90(3):1511-8.
- Cargill L, Harber V, Spence JC, Boulé NG. Faculty of Physical Education and Recreation, University of Alberta, Edmonton, Canada. *Effects of exercise or diet intervention on visceral and subcutaneous abdominal fat: a meta-analysis*. Obesity. May 2008;32 (Supplement 1): S25.
- Coker RH, Williams RH, Kortebein PM, Sullivan DH, Evans WJ. *Influence of exercise intensity on abdominal fat and adiponectin in elderly adults*. Metab Syndr Relat Disord. 2009 Aug;7(4):363-8.
- Irving BA, Davis CK, Brock DW, Weltman JY, Swift D, Barrett EJ, Gaesser GA, Weltman A. *Effect of exercise training intensity on abdominal visceral fat and body composition*. Med Sci Sports Exerc. 2008 Nov;40(11):1863-72.
- Coker RH, Hays NP, Williams RH, Brown AD, Freeling SA, Kortebein PM, Sullivan DH, Starling RD, Evans WJ. *Exercise-induced changes in insulin action and glycogen metabolism in elderly adults*. Med Sci Sports Exerc. 2006 Mar;38(3):433-8.
- Schwarz AJ, Brasel JA, Hintz RL, Mohan S, Cooper DM. *Acute effect of brief low- and high-intensity exercise on circulating insulin-like growth factor (IGF) I, II, and IGF-binding protein-3 and its proteolysis in young healthy men*. J Clin Endocrinol Metab. 1996 Oct;81(10):3492-7.